ELSEVIER

Nuclear Instruments and Methods in Physics Research A 475 (2001) xxi–xxix

NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH Section A

www.elsevier.com/locate/nima

# Contents

FEL 2000
Proceedings of the 22nd Free Electron Laser Conference
and 7th FEL Users Workshop
Duke University, Free Electron Laser Laboratory
Durham, NC, USA, August 13–28, 2000

Editors: V.N. Litvinenko, Y.K. Wu

Preface . . . . . vii
Committees . . . . . ix
Sponsors . . . . . x
FEL Prize . . . . . xi
Tribute to John Walsh . . . . . xiii
Conference photos . . . . . xv

**Part I. Reviewed papers**

**Section I. FEL Prize Lecture and First Lasing**

Design considerations for a SASE X-ray FEL
C. Pellegrini . . . . . 1

Observation of self-amplified spontaneous emission in the wavelength range from 80 to 180 nm at the TESLA test facility FEL at DESY
J. Rossbach . . . . . 13

First lasing and initial performance of the European UV/VUV storage ring FEL at ELETTRA
R.P. Walker, J.A. Clarke, M.E. Couprie, G. Dattoli, M. Eriksson, D. Garzella, L. Giannessi, M. Marsi, L. Nahon, D. Nölle, D. Nutarelli, M.W. Poole, H. Quick, E. Renault, R. Roux, M. Trovò, S. Werin and K. Wille . . . . . 20

Observation and analysis of self-amplified spontaneous emission at the APS low-energy undulator test line
N.D. Arnold, J. Attig, G. Banks, R. Bechtold, K. Beczek, C. Benson, S. Berg, W. Berg, S.G. Biedron, J.A. Biggs, M. Borland, K. Boerste, M. Bosek, W.R. Brzowski, J. Budz, J.A. Carwardine, P. Castro, Y.-C. Chae, S. Christensen, C. Clark, M. Conde, E.A. Crosbie, G.A. Decker, R.J. Dejus, H. DeLeon, P.K. Den Hartog, B.N. Deriy, D. Dohan, P. Dombrowski, D. Donkers, C.L. Doose, R.J. Dortwegt, G.A. Edwards, Y. Eidelman, M.J. Erdmann, J. Error, R. Ferry, R. Flood, J. Forrestal, H. Freund, H. Friedsam, J. Gagliano, W. Gai, J.N. Galayda, R. Gerig, R.L. Gilmore, E. Gluskin, G.A. Goeppner, J. Goetzen, C. Gold, A.J. Gorski, A.E. Grelick, M.W. Hahne, S. Hanuska, K.C. Harkay, G. Harris, A.L. Hillman, R. Hogrefe, J. Hoyt, Z. Huang, J.M. Jagger, W.G. Jansma, M. Jaski, S.J. Jones, R.T. Keane, A.L. Kelly, C. Keyser, K.-J. Kim, S.H. Kim, M. Kirshenbaum, J.H. Klick, K. Knoerzer, R.J. Koldenhoven, M. Knott, S. Labuda, R. Laird, J. Lang, F. Lenkszus, E.S. Lessner, J.W. Lewellen, Y. Li, R.M. Lill, A.H. Lumpkin, O.A. Makarov, G.M. Markovich, M. McDowell, W.P. McDowell, P.E. McNamara, T. Meier, D. Meyer, W. Michalek, S.V. Milton, H. Moe, E.R. Moog, L. Morrison, A. Nassiri, J.R. Noonan, R. Otto, J. Pace, S.J. Pasky, J.M. Penicka, A.F. Pietryla, G. Pile, C. Pitts, J. Power, T. Powers, C.C. Putnam, A.J. Puttkammer, D. Reigle, L. Reigle, D. Ronzhin, E.R. Rotela, E.F. Russell, V. Sajaev, S. Sarkar, J.C. Scapino, K. Schroeder, R.A. Seglem, N.S. Sereno, S.K.

PII: S0168-9002(01)02131-3

Sharma, J.F. Sidarous, O. Singh, T.L. Smith, R. Soliday, G.A. Sprau, S.J. Stein, B. Stejskal, V. Svirtun, L.C. Teng, E. Theres, K. Thompson, B.J. Tieman, J.A. Torres, E.M. Trakhtenberg, G. Travish, G.F. Trento, J. Vacca, I.B. Vasserman, N.A. Vinokurov, D.R. Walters, J. Wang, X.J. Wang, J. Warren, S. Wesling, D.L. Weyer, G. Wiemerslage, K. Wilhelmi, R. Wright, D. Wyncott, S. Xu, B.-X. Yang, W. Yoder and R.B. Zabel . . . . . 28

First lasing of KHI FEL device at the FEL-SUT
M. Yokoyama, F. Oda, K. Nomaru, H. Koike, M. Sobajima, H. Miura, H. Hattori, M. Kawai and H. Kuroda . . . . . 38

Third-harmonic lasing at JAERI-FEL
R. Hajima, R. Nagai, N. Nishimori, N. Kikuzawa and E.J. Minehara . . . . . 43

First lasing of the KAERI compact far-infrared free-electron laser driven by a magnetron-based microtron
Y.U. Jeong, B.C. Lee, S.K. Kim, S.O. Cho, B.H. Cha, J. Lee, G.M. Kazakevitch, P.D. Vobly, N.G. Gavrilov, V.V. Kubarev and G.N. Kulipanov . . . . . 47

**Section II. FEL Theory**

Grand initial value problem of high gain free electron lasers
M. Xie . . . . . 51

Solution to the initial value problem for a high-gain FEL via Van Kampen's method
Z. Huang and K.-J. Kim. . . . . 59

Power limitations in the OK-4/Duke storage ring FEL
V.N. Litvinenko, S.H. Park, I.V. Pinayev and Y. Wu . . . . . 65

Quasilinear theory of high-gain FEL saturation
N.A. Vinokurov, Z. Huang, O.A. Shevchenko and K.-J. Kim . . . . . 74

Eigenmodes and mode competition in a high-gain free-electron laser including alternating-gradient focusing
J. Wu and L.H. Yu . . . . . 79

The general solution of the eigenvalue problem for a high-gain FEL
E.L. Saldin, E.A. Schneidmiller and M.V. Yurkov . . . . . 86

Limitations of the transverse coherence in the self-amplified spontaneous emission FEL
E.L. Saldin, E.A. Schneidmiller and M.V. Yurkov . . . . . 92

Predictions and expected performance for the VUV OK-5/Duke storage ring FEL with variable polarization
V.N. Litvinenko, O.A. Shevchenko and N.A. Vinokurov. . . . . 97

Coherent hard X-ray production by cascading stages of High Gain Harmonic Generation
J. Wu and L.H. Yu . . . . . 104

Nonlinear harmonic generation of coherent amplification and self-amplified spontaneous emission
Z. Huang and K.-J. Kim. . . . . 112

Nonlinear harmonics in the high-gain harmonic generation (HGHG) experiment
S.G. Biedron, H.P. Freund, S.V. Milton, L-.H. Yu and X.J. Wang. . . . . 118

Two-color operation in high-gain free-electron lasers
H.P. Freund and P.G. O'Shea . . . . . 127

Tunable non-relativistic FEL
A.A. Silivra . . . . . 132

On the anti-resonance effect in the reversed field free electron laser
J.T. Donohue and J.L. Rullier. . . . . 137

Modulated desynchronism in a free-electron laser oscillator
O.G. Calderón, T. Kimura and T.I. Smith . . . . . 143

Model and simulation of wide-band interaction in free-electron lasers
Y. Pinhasi, Y. Lurie and A. Yahalom . . . . . 147

Electromagnetic wave pumped ion-channel free electron laser
L. Shenggang, R.J. Barker, G. Hong and Y. Yang . . . . . 153

Self-amplified spontaneous emission in Smith–Purcell free-electron lasers
K.-J. Kim and S.-B. Song . . . . . 158

Experimental and theoretical study of 2D Bragg structures for a coaxial free electron maser
A.W. Cross, W. He, I.V. Konoplev, A.D.R. Phelps, K. Ronald, G.R.M. Robb, C.G. Whyte, N.S. Ginzburg, N.Yu. Peskov and A.S. Sergeev . . . . . 164

Novel scheme of a multi-beam FEL synchronised by two-dimensional distributed feedback
N.S. Ginzburg, N.Yu. Peskov, A.S. Sergeev, A.V. Arzhannikov and S.L. Sinitsky . . . . . 173

Simulations of the TJNAF 10 kW free electron laser
R.D. McGinnis, J. Blau, W.B. Colson, D. Massey, P.P. Crooker, A. Christodoulou and D. Lampiris . . . . 178

Simulations of the TJNAF FEL with tapered and inversely tapered undulators
A. Christodoulou, D. Lampiris, W.B. Colson, P.P. Crooker, J. Blau, R.D. McGinnis, S.V. Benson, J.F. Gubeli and G.R. Neil . . . . . 182

Numerical analysis of radiation build-up in an FEL oscillator
Z. Dong, K. Masuda, T. Kii, T. Yamazaki and K. Yoshikawa . . . . . 187

Requirements for a laser pumped FEL operating in the X-ray regime
D.F. Gordon, P. Sprangle, B. Hafizi and C.W. Roberson . . . . . 190

**Section III. Storage Ring FELs**

Operation of the OK-4/Duke storage ring FEL below 200 nm
V.N. Litvinenko, S.H. Park, I.V. Pinayev and Y. Wu . . . . . 195

Characteristics of the NIJI-IV UV-VUV FEL system—toward lasing down to 150 nm using a compact storage ring
K. Yamada, N. Sei, H. Ohgaki, T. Mikado and T. Yamazaki . . . . . 205

Development of longitudinal feedback system for a storage ring free electron laser
S. Koda, M. Hosaka, J. Yamazaki, M. Katoh and H. Hama . . . . . 211

FEL induced electron bunch heating observed by a method based on synchronous phase detection
M. Hosaka, S. Koda, M. Katoh, J. Yamazaki and H. Hama . . . . . 217

Giant high-peak power pulses in the UV OK-4/Duke storage ring FEL using the gain modulator
I.V. Pinayev, V.N. Litvinenko, S.H. Park, Y. Wu, M. Emamian, N. Hower, J. Patterson and G. Swift . . . 222

Towards the Fourier limit on the super-ACO Storage Ring FEL
M.E. Couprie, G. De Ninno, G. Moneron, D. Nutarelli, M. Hirsch, D. Garzella, E. Renault, R. Roux and C. Thomas . . . . . 229

Fourier limited micro-pulses in the OK-4/Duke storage ring FEL
V.N. Litvinenko, S.H. Park, I.V. Pinayev, Y. Wu, A. Lumpkin and B. Yang . . . . . 234

Time structure of the OK-4/Duke storage ring FEL
V.N. Litvinenko, S.H. Park, I.V. Pinayev and Y. Wu . . . . . 240

Helical wigglers for the OK-5 storage ring VUV FEL at Duke
V.N. Litvinenko, S.F. Mikhailov, N.A. Vinokurov, N.G. Gavrilov, G.N. Kulipanov, O.A. Shevchenko and P.D. Vobly . . . . . 247

Lattice modification and nonlinear dynamics for elliptically polarized VUV OK-5 FEL source at Duke storage ring
Y. Wu, V.N. Litvinenko, S.F. Mikhailov, O.A. Shevchenko, N.A. Vinokurov, N.G. Gavrilov, T.V. Shaftan and D.A. Kairan . . . . . 253

**Section IV. Linac and High Power FELs**

New results of the high-gain harmonic generation free-electron laser experiment
A. Doyuran, M. Babzien, T. Shaftan, S.G. Biedron, L.H. Yu, I. Ben-Zvi, L.F. DiMauro, W. Graves, E. Johnson, S. Krinsky, R. Malone, I. Pogorelsky, J. Skaritka, G. Rakowsky, X.J. Wang, M. Woodle, V. Yakimenko, J. Jagger, V. Sajaev and I. Vasserman . . . . . 260

High extraction efficiency observed at the JAERI free-electron laser
N. Nishimori, R. Hajima, R. Nagai and E.J. Minehara . . . . . 266

Analyses of superradiance and spiking-mode lasing observed at JAERI-FEL
R. Hajima, N. Nishimori, R. Nagai and E.J. Minehara . . . . . 270

An experimental study of an FEL oscillator with a linear taper
S. Benson, J. Gubeli and G.R. Neil . . . . . 276

Experimental study of compact FEL with micro wiggler and electrostatic accelerator
S. Fujii, T. Fujita, T. Mizuno, T. Ohshima, M. Kawai, H. Saito, S. Kuroki and K. Koshiji . . . . . 281

**Section V. Long Wavelength FELs**

Progress in development of high-power FELs with two-dimensional Bragg resonators
N.S. Ginzburg, N.Yu. Peskov, A.S. Sergeev, A.V. Arzhannikov, S.L. Sinitsky, P.V. Kalinin, A.D.R. Phelps and A.W. Cross . . . . . 287

Long wavelength compact-FEL with controlled energy–phase correlation
A. Doria, V.B. Asgekar, D. Esposito, G.P. Gallerano, E. Giovenale, G. Messina and C. Ronsivalle . . . . . 296

Enhancement of FEM radiation by prebunching of the e-beam (stimulated super-radiance)
M. Arbel, A.L. Eichenbaum, H. Kleinman, I.M. Yakover, A. Abramovich, Y. Pinhasi, Y. Luria, M. Tecimer and A. Gover. . . . . 303

An experimental investigation into the evolution of the output of a free electron maser oscillator
C.C. Wright, R.A. Stuart, J. Lucas and A.I. Al-Shamma'a . . . . . 308

The dependence of the oscillation frequency of an FEM on beam voltage
R.A. Stuart, C.C. Wright, J. Lucas and A.I. Al-Shamma'a . . . . . 313

A metal-grating FEL experiment at the ENEA compact-FEL facility
A. Doria, G.P. Gallerano, E. Giovenale, G. Messina, V.B. Asgekar, G. Doucas, M.F. Kimmitt, J.H. Brownell and J.E. Walsh. . . . . 318

**Section VI. SASE FELs**

Optimization of the design for the LCLS undulator line
E. Gluskin, N.A. Vinokurov, G. Decker, R.J. Dejus, P. Emma, P. Ilinski, E.R. Moog, H.-D. Nuhn and I.B. Vasserman. . . . . 323

Optimization of an X-ray SASE-FEL
C. Pellegrini, S. Reiche, J. Rosenzweig, C. Schroeder, A. Varfolomeev, S. Tolmachev and H.-D. Nuhn . . . 328

Wavelength spectrum of self-amplified spontaneous emission in the far-infrared region
R. Kato, T. Okita, R.A.V. Kumar, T. Igo, T. Konishi, M. Kuwahara, M. Fujimoto, S. Mitani, S. Okuda, S. Suemine and G. Isoyama . . . . . 334

Initial gain measurements of an 800 nm SASE FEL, VISA
P. Frigola, A. Murokh, P. Musumeci, C. Pellegrini, S. Reiche, J. Rosenzweig, A. Tremaine, M. Babzien, I. Ben-Zvi, E. Johnson, R. Malone, G. Rakowsky, J. Skaritka, X.J. Wang, K.A. Van Bibber, L. Bertolini, J.M. Hill, G.P. Le Sage, M. Libkind, A. Toor, R. Carr, M. Cornacchia, L. Klaisner, H.-D. Nuhn, R. Ruland and D.C. Nguyen . . . . . 339

Simulation studies of the proposed far-infrared amplifier at ISIR, Osaka University
R.A.V. Kumar, R. Kato and G. Isoyama. . . . . 343

Observation of longitudinal phase space fragmentation at the TESLA test facility free-electron laser
M. Hüning, Ph. Piot and H. Schlarb . . . . . 348

An analysis of longitudinal phase space fragmentation at the TESLA test facility
T. Limberg, Ph. Piot and E.A. Schneidmiller . . . . . 353

X-ray FEL with a meV bandwidth
E.L. Saldin, E.A. Schneidmiller, Yu.V. Shvyd'ko and M.V. Yurkov . . . . . 357

Development of a pump-probe facility combining a far-infrared source with laser-like characteristics and a VUV free electron laser
B. Faatz, A.A. Fateev, J. Feldhaus, J. Krzywinski, J. Pflueger, J. Rossbach, E.L. Saldin, E.A. Schneidmiller and M.V. Yurkov. . . . . 363

Development of a pump-probe facility with sub-picosecond time resolution combining a high-power ultraviolet regenerative FEL amplifier and a soft X-ray SASE FEL
B. Faatz, A.A. Fateev, J. Feldhaus, J. Krzywinski, J. Pflueger, J. Rossbach, E.L. Saldin, E.A. Schneidmiller and M.V. Yurkov. . . . . 368

Nonlinear harmonic generation in distributed optical klystrons
H.P. Freund and G.R. Neil. . . . . 373

A comparison between the fundamental and third harmonic interactions in X-ray free-electron lasers
H.P. Freund . . . . . 377

Dispersively enhanced bunching in high-gain free-electron lasers
G.R. Neil and H.P. Freund. . . . . 381

Generation of powerful ultrashort electromagnetic pulses based on superradiance
N.S. Ginzburg, I.V. Zotova, Yu.V. Novozhilova, A.S. Sergeev, A.D.R. Phelps, A.W. Cross, S.M. Wiggins, K. Ronald, V.G. Shpak, M.I. Yalandin, S.A. Shunailov and M.R. Ulmaskulov . . . . . 385

Design considerations of 10 kW-scale, extreme ultraviolet SASE FEL for lithography
C. Pagani, E.L. Saldin, E.A. Schneidmiller and M.V. Yurkov . . . . . 391

**Section VII. New Developments and Proposals**

Short wavelength free electron lasers in 2000
W.B. Colson . . . . . 397

Modular approach to achieving the next-generation X-ray light source
S.G. Biedron, S.V. Milton and H.P. Freund . . . . . 401

The OK-5/Duke storage ring VUV FEL with variable polarization
V.N. Litvinenko, S.F. Mikhailov, O.A. Shevchenko, N.A. Vinokurov, N.G. Gavrilov, G.N. Kulipanov, T.V. Shaftan, P.D. Vobly and Y. Wu . . . . . 407

Low emittance lattice for the Duke storage ring soft X-ray FEL
S.F. Mikhailov, V.N. Litvinenko and Y. Wu . . . . . 417

Spatial distribution and polarization of $\gamma$-rays generated via Compton backscattering in the Duke/OK-4 storage ring FEL
S.H. Park, V.N. Litvinenko, W. Tornow and C. Montgomery . . . . . 425

Proposal for a IR waveguide SASE FEL at the PEGASUS injector
S. Reiche, J. Rosenzweig and S. Telfer . . . . . 432

Generation of ultra-short quasi-unipolar electromagnetic pulses from quasi-planar electron bunches
V.L. Bratman, D.A. Jaroszynski, S.V. Samsonov and A.V. Savilov. . . . . 436

Spontaneous and stimulated undulator radiation by an ultra-relativistic positron channeling in a periodically bent crystal
W. Krause, A.V. Korol, A.V. Solov'yov and W. Greiner . . . . . 441

The research on two-color photon sources in infrared and X-ray ranges by compton scattering
Y. Zhao and J. Zhuang . . . . . 445

Coherent amplification of volume plasmons
C.A. Brau . . . . . 449

Two-color infrared FEL facility employing a 250-MeV linac injector of Saga synchrotron light source
T. Tomimasu, M. Yasumoto, N. Koga, Y. Hashiguchi, Y. Ochiai and M. Ishibashi . . . . . 454

Field emission from entangled carbon nanotubes coated on/in a hollow metallic tube
Y. Tokura, Y. Tsunawaki, N. Ohigashi, S. Akita, Y. Nakayama, K. Imasaki, K. Mima and S. Nakai . . . . 458

**Section VIII. Accelerator and FEL Physics and Technology**

Utilization of CTR to measure the evolution of electron-beam microbunching in a self-amplified spontaneous emission (SASE) free-electron laser (FEL)
A.H. Lumpkin, B.X. Yang, W.J. Berg, Y.C. Chae, N.S. Sereno, R.J. Dejus, C. Benson and E. Moog . . . . 462

First measurements of subpicosecond electron beam structure by autocorrelation of coherent diffraction radiation
A.H. Lumpkin, N.S. Sereno and D.W. Rule . . . . . 470

Development of a coherent transition radiation-based bunch length monitor with application to the APS RF thermionic gun beam optimization
A.H. Lumpkin, N.D. Arnold, W.J. Berg, M. Borland, U. Happek, J.W. Lewellen and N.S. Sereno . . . . . 476

Photon diagnostics for the study of electron beam properties of a VUV SASE-FEL
Ch. Gerth, B. Faatz, T. Lokajczyk, R. Treusch and J. Feldhaus . . . . . 481

Evaluation of electron bunch shapes using the spectra of the coherent radiation
M. Nakamura, M. Takanaka, S. Okuda, T. Kozawa, R. Kato, T. Takahashi and S.-K. Nam . . . . . 487

Electron bunch shape measurement using coherent diffraction radiation
B. Feng, M. Oyamada, F. Hinode, S. Sato, Y. Kondo, Y. Shibata and M. Ikezawa . . . . . 492

Sensitivity of the CSR self-interaction to the local longitudinal charge concentration of an electron bunch
R. Li . . . . . 498

Application of electro-optic sampling in FEL diagnostics
X. Yan, A.M. MacLeod, W.A. Gillespie, G.M.H. Knippels, D. Oepts and A.F.G. van der Meer . . . . . 504

Direct observation of beam bunching in BWO experiments
I. Morimoto, X.D. Zheng, S. Maebara, J. Kishiro, K. Takayama, K. Horioka, H. Ishizuka, S. Kawasaki and M. Shiho . . . . . 509

Study on interference between far-IR to mm-wave CSR from consecutive electron bunches at BFEL RF-Linac
Z. Junbiao, Z. Guoqing, L. Yonggui and X. Jialin . . . . . 514

An optical resonator with insertable scraper output coupler for the JAERI far-infrared free-electron laser
R. Nagai, R. Hajima, N. Nishimori, M. Sawamura, N. Kikuzawa, T. Shizuma and E. Minehara . . . . . 519

Calculation of intracavity laser modes in the case of a partial waveguiding in the vacuum chamber of the "CLIO" FEL
R. Prazeres and V. Serriere . . . . . 524

Transient mirror heating theory and experiment in the Jefferson Lab IR Demo FEL
S. Benson, M. Shinn and G.R. Neil . . . . . 531

A test of the laser alignment system ALMY at the TTF-FEL
S. Roth, S. Schael and G. Schmidt . . . . . 537

First results of the high resolution wire scanners for beam profile and absolute beam position measurement at the TTF
G. Schmidt, U. Hahn, M. Meschkat and F. Ridoutt . . . . . 545

Performance of a DC GaAs photocathode gun for the Jefferson lab FEL
T. Siggins, C. Sinclair, C. Bohn, D. Bullard, D. Douglas, A. Grippo, J. Gubeli, G.A. Krafft and B. Yunn 549

Jefferson Lab IR demo FEL photocathode quantum efficiency scanner
J. Gubeli, R. Evans, A. Grippo, K. Jordan, M. Shinn and T. Siggins . . . . . 554

Electron beams formed by photoelectric field emission
C.H. Garcia and C.A. Brau. . . . . 559

Research on DC-RF superconducting photocathode injector for high average power FELs
K. Zhao, J. Hao, Y. Hu, B. Zhang, S. Quan, J. Chen and J. Zhuang . . . . . 564

Simulated performance of the energy-recovery transport system for JAERI-FEL
T. Shizuma, R. Hajima and E.J. Minehara . . . . . 569

Design and beam transport simulations of a multistage collector for the Israeli EA-FEM
M. Tecimer, M. Canter, S. Efimov, A. Gover and J. Sokolowski . . . . . 574

Optimization of power output and study of electron beam energy spread in a Free Electron Laser oscillator
A. Abramovich, Y. Pinhasi, A. Yahalom, D. Bar-Lev, S. Efimov and A. Gover . . . . . 579

Performance of the thermionic RF gun injector for the linac-based IR free electron laser at the FEL-SUT
F. Oda, M. Yokoyama, M. Kawai, H. Koike and M. Sobajima . . . . . 583

Experiment and analysis on back-bombardment effect in thermionic RF gun
T. Kii, T. Yamaguchi, R. Ikeda, Z.-W. Dong, K. Masuda, H. Toku, K. Yoshikawa and T. Yamazaki . . . 588

Smith–Purcell experiment utilizing a field-emitter array cathode: measurements of radiation
H. Ishizuka, Y. Kawamura, K. Yokoo, H. Shimawaki and A. Hosono . . . . . 593

Bunching properties of a classical microtron-injector for a far infrared free electron laser
G.M. Kazakevitch, S.S. Serednyakov, N.A. Vinokurov, Y.U. Jeong, B.C. Lee and J. Lee. . . . . 599

Different focusing solutions for the TTF-FEL undulator
B. Faatz and J. Pflüger . . . . . 603

A design study of a staggered array undulator for high longitudinal uniformity of undulator peak fields by use of a 2-D code
K. Masuda, J. Kitagaki, Z.-W. Dong, T. Kii, T. Yamazaki and K. Yoshikawa . . . . . 608

A design study on electron beam confinement in a staggered array undulator based on a 3D code
J. Kitagaki, K. Masuda, Z.-W. Dong, T. Kii, T. Yamazaki and K. Yoshikawa . . . . . 613

**Section IX. Applications of FELs**

Transient absorption spectroscopy in biology using the Super-ACO storage ring FEL and the synchrotron radiation combination
E. Renault, L. Nahon, D. Garzella, D. Nutarelli, G. De Ninno, M. Hirsch and M.E. Couprie . . . . . 617

TJNAF free electron laser damage studies
R.W. Thomson Jr., L.R. Short, R.D. McGinnis, W.B. Colson, M.D. Shinn, J.F. Gubeli, K.C. Jordan, R.A. Hill, G.H. Biallas, R.L. Walker, G.R. Neil, S.V. Benson and B.C. Yunn. . . . . 625

Primary experimental studies on mid-infrared FEL irradiation on dental substances at BFEL
Z. Junbiao, L. Yonggui, L. Nianqing, Z. Guoqing, W. Minkai, W. Gan, Y. Xuepin, H. Yuying, H. Wei, D. Yanmei and G. Xuejun. . . . . 630

Selective bond breaking in amorphous hydrogenated silicon by using Duke FEL
D. Gracin, V. Borjanovic, B. Vlahovic, A. Sunda-Meya, T.M. Patterson, J.M. Dutta, S. Hauger, I. Pinayev, M.E. Ware, D. Alexson, R.J. Nemanich and B. von Roedern. . . . . 635

Thin-film deposition method assisted by mid-infrared-FEL
M. Yasumoto, T. Tomimasu, A. Ishizu, N. Tsubouchi, K. Awazu and N. Umesaki. . . . . 640

Design and construction of an evanescent optical wave device for the recanalization of vessels
B.A. Hooper, G.C. LaVerde and O.T. Von Ramm . . . . . 645

Selective removal of cholesteryl oleate through collagen films by MIR FEL
K. Awazu and Y. Fukami. . . . . 650

**Part II (Extended Abstracts: The text of these papers is included only in the book edition of the Proceedings, ISBN 0-444-50939-9)**

RF photoinjector in CAEP
L. Zhenghong, H. Kesong, L. Ming, Y. Maorong, Q. Mingquan, L. Zhiqiang, D. Xingshao, P. Qing and D. Renpei . . . . . II-1

Photo injector test facility under construction at DESY Zeuthen
F. Stephan, D. Krämer, I. Will and A. Novokhatski . . . . . II-3

The PEGASUS free electron laser laboratory
S. Telfer, S. Reiche, J.B. Rosenzweig and P. Frigola . . . . . II-5

Injector and bunchers of the electron linac for high-intensity single-bunch beam generation at ISIR
S. Okuda, T. Yamamoto, S. Suemine and G. Isoyama. . . . . II-7

Status of the ELBE accelerator - a driver for different radiation sources
P. Michel, P. Evtushenko, K. Möller, C. Schneider, J. Teichert, F. Gabriel, E. Grosse and the ELBE crew . . . . . II-9

Design of a double focusing beam transport system for a 25 MeV electron beam
I.V. Volokhine, J.W.J. Verschuur, G.J. Ernst, F.F. de Wit, K.J. Boller and J.I.M. Botman. . . . . II-11

Study on the focusing property of a planar wiggler for the infrared FEL
M. Fujimoto, R. Kato, M. Kuwahara, T. Igo, T. Okita, T. Konishi, R.A.V. Kumar, S. Mitani, S. Okuda, S. Suemine and G. Isoyama . . . . . II-13

Compact microtron driven by a magnetron as an injector of a far infrared free electron laser
G.M. Kazakevitch, Y. Uk Jeong, B.C. Lee, S.O. Cho , S.K. Kim and J. Lee. . . . . II-15

Electron beam energy spectrum measurements at Vanderbilt FEL
B. Feng, R.C. Grant, R. Ardrey, J. Kozub and W.E. Gabella . . . . . II-17

Dark current at TTFL rf gun
D. Setore, S. Schreiber, K. Zapfe, D. Hubert and P. Michelato . . . . . II-19

A diagnostic technique for short electron bunches using coherent off-axis undulator radiation
C.P. Neuman, W.S. Graves, G.L. Carr and P.G. O'Shea . . . . . II-21

Recent developments at the Darmstadt free electron laser
M. Brunken, L. Casper, H. Genz, M. Gopych, H.-D. Gräf, C. Hessler, S. Khodyachykh, S. Kostial, U. Laier, H. Loos, A. Richter, B. Schweizer and A. Stascheck . . . . . II-23

Saturated plasma X-ray laser at 19 nm
Y. Li, J. Dunn, J. Nilsen, A. Osterheld, T.W. Barbee, Jr. and V.N. Shlyaptsev . . . . . II-25

FEL-beam interaction in a storage-ring: new model versus experimental results
G. De Ninno, D. Nutarelli, D. Garzella, E. Renault and M.E. Couprie . . . . . II-27

Design of an insertion device for the FEL-X project
N. Sei, K. Yamada, T. Mikado, H. Ohgaki, T. Yamazaki and M. Kawai . . . . . II-29

Chicane compressor development for the BNL ATF - application to SASE FEL
R. Agustsson and J.B. Rosenzweig. . . . . II-31

Zero-slippage operation of TEUFEL
J.W.J. Verschuur, I. Volokhine, F.F. de Wit, J.I.M. Botman and K.-J. Boller . . . . . II-33

Intra-undulator measurements at VISA FEL
A. Murokh, P. Frigola, C. Pellegrini, J. Rosenzweig, A. Tremaine, E. Johnson, X.J. Wang, V. Yakimenko, L. Klaisner, H. D. Nuhn and A. Toor . . . . . II-35

The project of high power submillimeter-wavelength free electron laser
V.P. Bolotin, N.G. Gavrilov, D.A. Kairan, M.A. Kholopov, E.I. Kolobanov, V.V. Kubarev, G.N. Kulipanov, S.V. Miginsky, L.A. Mironenko, A.D. Oreshkov, M.V. Popik, T.V. Salikova, M.A. Sheglov, O.A. Shevchenko, A.N. Skrinsky, N.A. Vinokurov and P.D. Vobly . . . . . II-37

The University of Maryland free-electron laser
P. O'Shea, C. Davis, E. Elson, D. Feldman, R. Feldman, J. Harris, J. Neumann, A. Shkvarunets, H. Freund, H. Bluem and A. Todd . . . . . II-39

Free-electron maser experiment on testing high-gradient accelerating structures
N.S. Ginzburg, A.V. Elzhov, I.N. Ivanov, A.K. Kaminsky, V.V. Kosukhin, S.V. Kuzikov, N.Yu. Peskov, M.I. Petelin, E.A. Perelstein, S.N. Sedykh, A.P. Sergeev, A.S. Sergeev, I. Syratchev and I. Wilson . . . . . II-41

Design of a high power Cherenkov FEL for industrial applications
A. Doria, G.P. Gallerano, L. Giannessi and E. Giovenale . . . . . II-43

Design study of a waveguide resonator for an infrared FEL at ELBE
G.P. Gallerano, A. Gover, E. Grosse, W. Seidel, M. Tecimer, A. Wolf and R. Wünsch . . . . . II-45

JAERI design options for realizing a compact and stand-alone superconducting rf linac-based high power free-electron laser
E. J. Minehara, T. Yamauchi, M. Sugimoto, M. Sawamura, R. Hajima, R. Nagai, N. Kikuzawa, N. Nishimori and T. Shizuma . . . . . II-47

SASE experiments in a micro FEL
A. Bakhtyari, H.L. Andrews, J.H. Brownell, M.F. Kimmit and J.E. Walsh . . . . . II-49

European thematic network project for an industrial free electron laser at 10-100 GHz
A.I. Al-Shamma'a, J. Lucas, R.A. Stuart and P.J.M. Van Der Slot. . . . . II-51

Projects for two-color pump-probe studies at the radiation source ELBE
W. Seidel, A. Büchner, W. Enghardt, P. Evtushenko, F. Gabriel, P. Gippner, E. Grosse, D. Kalionska, U. Lehnert, P. Michel, A. Schamlott, W. Wagner, D. Wohlfarth, A. Wolf and R. Wünsch . . . . . II-53

Parametric chirped-pulse amplification of mid-infrared FEL pulses
G.M.H. Knippels, D. Oepts, A.F.G. van der Meer, T. Nie, A.M. MacLeod, and W.A. Gillespie. . . . . II-55

Status of the Stanford Picosecond FEL Center
R. L. Swent . . . . . II-57

User applications for the TAU Tandem Electrostatic Accelerator FEL at long wavelengths
A. Gover, A.L. Eichenbaum, S. Efimov, J. Sokolowski, M. Tecimer, Y. Yakover, A. Abramovich, M. Canter, Y. Pinhasi, A. Yahalom, I. Schnitzer and Y. Shiloh . . . . . II-59

Activation of Mg implanted into GaN using a free electron laser
G. Zhang, Y. Li, J. Zhu, M. Wang, G. Wu, X. Yang, Z. Yang, Y. Tong and G. Zhang. . . . . II-61

Thermal ablation studies at the S-DALINAC FEL: A three-dimensional approach
M. Brunken, H. Genz, H.-D. Gräf, S. Khodyachykh, H. Loos, A. Richter, B. Schweizer and A. Stascheck II-63

Second harmonic generation in CdTe at 22 μm generated by the JAERI FEL
N. Kikuzawa, T.Yamauchi, R. Nagai and E.J. Minehara. . . . . II-65

Author index . . . . . 657